
## **Livestock Matting Guide**





# Why Rubber Matting?

- Soft, comfortable, warm and insulating
- Reduces risks of slipping and sores
- Excellent joint protection
- Less hock and teat damage, and fewer solar ulcers
- Dust free helps combat respiratory disorders
- Better hygiene and easier cleaning
- Up to a 5 year factory guarantee
- Reduces labour & bedding cost up to 80%
- Reduces storage and muck heap



#### **Cubicle Matting**

Ideal comfort matting for cubicles, lie-back areas, walkways and any surfaces that will be in contact with livestock. The matting is reversible, providing a choice of dimpled or grooved surfaces. Available in 12mm or 18mm thicknesses. 18mm is recommended for cubicle applications.

- Will not expand, tear or curl
- Simple squeegee/brush cleaning when installed with groove side up
- Easy to install, cut and fit around cubicle bars
- · Excellent joint protection with less hock and teat damage
- MF006-001-00 fixing recommended to avoid mat movement
- · 12mm is 34kg and 18mm is 45 kg weight

#### Did you know?

n the act of lying down, a cow free-falls' about 15 inches'

Stock Ref	Matting Description	Mat Size	Mat Area	Price each (excl. Vat)
RMO12-064-00	12mm Reversible dimple/groove	1850mm x 1220mm (6' x 4')	2.23m <sup>2</sup> (24ft <sup>2</sup> )	
RMO18-064-00 (Recommended)	18mm Reversible dimple/groove Cubicle Mat	1850mm x 1220mm (6' x 4')	2.23m <sup>2</sup> (24ft <sup>2</sup> )	



#### **Deluxe Cow Matting**

The Deluxe mats are designed for cow cubicles and have proved successful over many years in the dairy and beef industry. They provide a restful, stress-free, comfortable environment to ensure optimum productivity. The smoother but anti-slip surface is easy to clean and allows urine to drain effectively.

- Made from 100% virgin natural rubber
- Non-porous so will not hold moisture or bacteria
- Puzzle fit edges to ensure continuous matting run.
- Simple and quick to fit, using the recommended MF010-001-00 stainless steel fixing which doesn't corrode.
- · 45kg weight


#### Did you know?

When a cow lies down, she supports
80% of her weight on a tripod
formed by two knees and a book

Stock Ref	Matting Description	Mat Size	Mat Area	Price each (excl. Vat)
RMO25-064-PE	25mm Deluxe Cow Mat with puzzle-fit edge	1850mm x 1145mm (6' x 3'9")	2.12m <sup>2</sup> (24ft <sup>2</sup> )	
RMO20-15-00	20mm Cubicle Roll	1800mm x 15m roll	27m <sup>2</sup> (88.56ft <sup>2</sup> )	







#### **Pro Cubicle Cow Matting**

The ADDMat Ultimate mats are proven in the toughest cubicle and stall environments, where cows are kept in cubicles 365 days of the year. With four German DLG certification standards these heavy duty mats are supplied with a 10 year factory warranty.

- Supreme natural rubber quality prevents curling of mat
- Unique sloped edge for more hygienic cubicles
- Made in EU by one of Europe's top rubber manufacturers

Stock Ref	Matting Description	Mat Size	Mat Area	Price Each (excl. VAT)
RM025-064-PRO	30mm Pro Cubicle Cow Mat	1830mm x 1220mm (6' x 4')	2.23m <sup>2</sup> (24ft <sup>2</sup> )	

#### Did you know?

Discomfort on concrete induces stress and limits lying time





#### **Parlour Puzzle Matting**

Heavy duty puzzle-piece reversible matting supplied in 1m x 1m squares which makes installation extremely simple. Ideal for wet and dry areas where continuous wash-downs are required. In areas where long periods of time are spent on foot, these mats provide a comfortable non-slip surface which is essential for safe practice at work.

- Simple and fast to install
- Non-slip dimpled surface provides a safer working environment.
- Quality 16mm thick vulcanized rubber ensures the matting is down for a lifetime.

Stock Ref	Matting Description	Mat Size	Mat Area	Price each (excl. Vat)
RM016-011-00	16mm Dimple Surface puzzle-piece Mat	1000mm x 1000mm (3'3" x 3'3")	1m <sup>2</sup> (10.9ft <sup>2</sup> )	
RM020-011-BL	Pitzone Parlour Mat (choice of colours)	1000mm x 1000mm (3'3" x 3'3")	1m <sup>2</sup> (10.9ft <sup>2</sup> )	







#### **General Purpose Hollow Matting**

Quality soft impact ring matting for many uses such as barn, field, yard, wash-down areas and even workshop applications. 23mm thick with 30mm diameter holes to provide continuous drainage and maximum flexibility.


- · Lightweight and easy to handle
- · Ideal solution for muddy gateways
- Free draining to reduce poaching and create a safe walking surface
- Can be used singly or fixed/pegged down

Stock Ref	Matting Description	Mat Size	Mat Area	Price each (excl. Vat)
RM023-151-00	23mm Hollow Mat - 30mm diameter holes	1500mm x 1000mm (5' x 3'3")	1.50m <sup>2</sup> (16.5ft <sup>2</sup> )	

#### Did you know?

The pressure caused by the hardness of a concrete bed restricts circulation, causing swollen knees, hock lesions and consequent lameness.





### **Stable Matting**

The ideal comfort matting for floors - can reduce your labour and bedding costs by 80%. The matting is reversible, providing a choice of dimpled or grooved surfaces. Available in 12 and 18mm thicknesses, with 18mm being recommended for stable applications.

- · Will not expand, tear or curl
- Simple squeegee/brush cleaning when installed with groove side up
- Easy to install and cut with a good quality knife
- · Excellent joint protection

Stock Ref	Matting Description	Mat Size	Mat Area	Price each (excl. Vat)
RMO12-064-00	12mm Reversible dimple/groove Stable Mat	1850mm x 1220mm (6' x 4')	2.23m <sup>2</sup> (24ft <sup>2</sup> )	
RMO18-064-00 (Recommended)	18mm Reversible dimple/groove Stable Mat	1850mm x 1220mm (6' x 4')	2.23m <sup>2</sup> (24ft <sup>2</sup> )	







#### **Livestock Vehicle Matting**

Stock Ref	Livestock Vehicle Matting Description	Price each (excl. Vat)		
RM004-020-00	<b>4mm DURALAY RUBBER</b> Extra tough linen-textured rubber. 2.0m x 40m (sold per metre).			
RM012-024-00	12mm CONTINUOUS ROLL RUBBER Hardwearing anti-slip rubber matting – the ultimate for joint-free walkways and horse transporter flooring. Hammer blow top with micro rib base. 2.4m x 10m (sold per metre).			
RLR-018-00	LIQUID RUBBER PACK A trowel-applied latex rubber flooring that cures to form an impervious hardwearing surface. Ideal for veterinary situations, stables, lorries and trailers. Use a spiked roller to finish and seal the surface. Pack coverage 1.8m² @ 12 mm thick.			
RM012-084-00	<b>12mm EVA WALL MATTING</b> Suitable for both stable and horsebox walls, these lightweight energy-absorbing wall boards provide the ultimate protection for your horse. Random pattern surface. Supplied in 8' x 4' boards.			
Lorry Ramp Mats				
RMLR-224-00	Single Piece Lorry Ramp Mat 2300mm x 2480 mm (7'6" x 8')			
RM25-228-00	Single Piece Lorry Ramp Mat 2300mm x 2800 mm (7'6" x 9'2")			

#### **Moulded Rubber Ramp Mat**

The one-piece ribbed ramp mat provides an excellent slip- resistant surface for livestock access. The integral rubber bars are spaced to conform to DEFRA regulations and are ribbed to ensure a secure foothold for both horse and handler.

- Non-absorbent 100% Rubber
- Easy to hose down in seconds
- Available in 2 single piece sizes
- Largest mat designed to cover the gap between ramp and lorry







MF008-001-00 **8MM MAT FIXINGS (Plastic)** Drill 8mm hole










#### **Cattle Wrap**

An economical cohesive bandage made in the USA, for effective treatment of cattle.

- · Great stick, even in cold weather
- Easy application wrap quickly in a continuous motion
- · Consistent compression won't constrict
- Provides protection
- · Sweat and water resistant















For details of your nearest dealer, contact:

**GES Agriquip** 2 Michelin Road,

Mallusk BT36 4PT Tel: +44 28 9083 1830 sales@gesagriquip.com